

ד"ר איריס אמיתי לוייש - רשימת מאמרים חלקיים:

1. E. **Hodak, I. Amitay, M. Feinmesser, A. Aviram, M. David.**
Ichthyosiform mycosis fungoides: an atypical variant of cutaneous T-cell lymphoma.
J Am Acad Dermatol, 50(3):368-74, 2004
2. N. **Weintrob, I. Amitay, P. Lilos, S. Shalitin, L. Lazar, Z. Josefsberg.**
Bedside neuropathy disability score compared to quantitative sensory testing for measurement of diabetic neuropathy in children, adolescents, and young adults with type 1 diabetes.
J Diabetes Complications, 21(1):13-19, 2007
3. **I. Amitay-Laish**, M. David, B. Kafri, A. Barzilai, M. Feinmesser, E. Hodak.
Early-stage mycosis fungoides, parapsoriasis en plaque, and pregnancy.
Int J Dermatol, 46(2):160-5, 2007
4. **I. Amitay-Laish**, M. Feinmesser, D. Ben-Amitai, M. David, Y. Manor, D. Kidron,
A. Barzilai, E. Hodak.
Juvenile onset of primary cutaneous B-cell lymphoma.
Br J Dermatol, 161(1):140-7, 2009
5. **I. Amitay-Laish**, M. David, SM. Stemmer.
Staphylococcus coagulase-positive skin inflammation associated with epidermal growth factor receptor-targeted therapy; an early and a late phase of 'acneiform' eruptions. *The Oncologist*, 15(9):1002-8, 2010
6. **I. Amitay-Laish**, R. Sarid, I. Kalt, S.R. Masa, M. David, M. Feinmesser, E. Hodak.
Human herpes virus 8 is not detectable in large plaque parapsoriasis, and in early stage sporadic, familial and juvenile cases of mycosis fungoides in Israel.
J Am Acad Dermatol, 66(1):46-50, 2012
7. L. Pavlovsky, D. Mimouni, **I. Amitay-Laish**, M. Feinmesser, M. David, E. Hodak.
Hyperpigmented mycosis fungoides: An unusual variant of cutaneous T-cell lymphoma with a frequent CD8+ phenotype.
J Am Acad Dermatol, 67(1):69-75, 2012
8. AM. Drucker, S. Wu, KJ. Busam, E. Berman, **I. Amitay-Laish**, ME. Lacouture.
Rash with the multitargeted kinase inhibitors nilotinib and dasatinib: meta-analysis and clinical characterization.
Eur J Haematol, 90(2):142-50, 2013

9. E. Hodak*, I. Amitay-Laish*, M. Feinmesser, B. Davidovici, M. David, A. Zvulunov, F. Pavlotsky, I. Yaniv, G. Avrahami, D. Ben-Amitai. Juvenile Mycosis Fungoides: Cutaneous T-Cell lymphoma with Frequent Follicular Involvement. * Equal contribution J Am Acad Dermatol, 70(6):993-1001, 2014
10. **Amitay-Laish I**, Feinmesser M, Ben-Amitai D, Fenig E, Sorin D, Hodak E. Unilesional folliculotropic mycosis fungoides: a unique variant of cutaneous lymphoma. J Eur Acad Dermatol Venereol. 2014 Nov 18. [Epub ahead of print]
11. Atzmony L, Amitay-Laish I, Gurion R, Shahal-Zimra Y, Hodak E. Erythrodermic mycosis fungoides and Sézary syndrome treated with extracorporeal photopheresis as part of a multimodality regimen: A single-centre experience. J Eur Acad Dermatol Venereol. 2015 Aug 24. [Epub ahead of print]
12. Cutaneous Lymphoma International Consortium Study of Outcome in Advanced Stages of Mycosis Fungoides and Sézary Syndrome: Effect of Specific Prognostic Markers on Survival and Development of a Prognostic Model. Scarisbrick JJ, Prince HM, Vermeer MH, Quaglino P, Horwitz S, Porcu P, Stadler R, Wood GS, Beylot-Barry M, Pham-Ledard A, Foss F, Girardi M, Bagot M, Michel L, Battistella M, Guitart J, Kuzel TM, Martinez-Escala ME, Estrach T, Papadavid E, Antoniou C, Rigopoulos D, Nikolaou V, Sugaya M, Miyagaki T, Gniadecki R, Sanches JA, Cury-Martins J, Miyashiro D, Servitje O, Muniesa C, Berti E, Onida F, Corti L, Hodak E, Amitay-Laish I, Ortiz-Romero PL, Rodríguez-Peralto JL, Knobler R, Porkert S, Bauer W, Pimpinelli N, Grandi V, Cowan R, Rook A, Kim E, Pileri A, Patrizi A, Pujol RM, Wong H, Tyler K, Stranzenbach R, Querfeld C, Fava P, Maule M, Willemze R, Evison F, Morris S, Twigger R, Talpur R, Kim J, Ognibene G, Li S, Tavallaee M, Hoppe RT, Duvic M, Whittaker SJ, Kim YH. J Clin Oncol, 33(32):3766-73. 2015
13. Widespread morbilliform rash due to sorafenib or vemurafenib treatment for advanced cancer; experience of a tertiary dermatology clinic. Ollech A, MD, Stemmer SM, Merims S, Lotem M, Popovtzer A, Hendler D, Hodak E, Didkovsky E, Amitay-Laish I. Int J Dermatol. 2015 [Epub ahead of print]
14. New Insights into Folliculotropic Mycosis Fungoides: A Single-Center Experience and a Proposal for a New Classification. Hodak E*, Amitay-Laish I*, Atzmony L, Prag-Naveh H, Yanichkin N, Barzilai A, Kershenovich R, Feinmesser M. * Equal contribution J Am Acad Dermatol. 2016 [Epub ahead of print]
15. The Therapeutic Potential of AN-7, a Novel Histone Deacetylase Inhibitor, for Treatment of Mycosis Fungoides/Sezary Syndrome Alone or with Doxorubicin.

Moyal L, Feldbaum N, Goldfeiz N, Rephaeli A, Nudelman A, Weitman M, Tarasenko N, Gorovitz B, Maron L, Yehezkel S, **Amitay-Laish I**, Lubin I, Hodak E.

16. **I. Amitay-Laish**, SM. Stemmer, ME. Lacouture.
Adverse cutaneous reactions secondary to tyrosine kinase inhibitors,
including: imatinib mesylate, nilotinib and dasatinib; Clinical characteristics,
pathogenesis and a practical approach.
Dermatologic Therapy, 24(4):386-95, 2011
17. **I. Amitay-Laish** Anti-neoplastic molecular targeted therapy in dermatology.
Israeli journal of Dermatologic Surgery and Dermatology, 5:8-11, 2009
18. A. Rosen, **I. Amitay-Laish**, M.E Lacouture.
Management Algorithms for Dermatologic Adverse Events.
Dermatology and the Cancer Patient, Chapter 33, Blackwell Publishing.